

## SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 7] NEW DELHI, SATURDAY, FEBRUARY 15, 1958/MAGHA 26, 1879

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th January, 1958

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.		
Andhra Pradesh								Bihar							
Srikakulam	..	..	103	12	..	..	Patna	..	..	20	6	..	..		
Visakhapatnam	..	..	75	33	..	..	Gaya	..	..	64	19	..	..		
East Godavari	..	3	8	2	..	..	Darbhanga	..	..	68	9	..	..		
West Godavari	..	1	58	10	..	..	Monghyr	..	..	89	20	..	..		
Krishna	..	6	1	25	5	..	Santal Paraganas	..	..	47	20	..	..		
Guntur	..	23	12	41	4	..	Hazaribagh	..	..	13	5	..	..		
Nellore	..	5	2	21	2	..	Ranchi	..	..	42	16	..	..		
Kurnool	..	25	9	9	2	..	Dhanbad	..	..	9	2	..	..		
Cuddapah	..	18	6	18	8	..	TOTAL	..	..	352	97	..	..		
Anantpur	..	..	..	3	4	..	Total for w/e 11-1-58	2	..	236	87	..	..		
Chittoor	..	18	10	10	..	..	Total for w/e 4-1-58	6	3	264	104	..	..		
Warangal	..	..	..	5	1	..	Bombay								
Adilabad	..	..	..	17	3	..	Greater Bombay	..	..	75	14	..	..		
Nizamabad	..	..	..	..	1	..	Ahmedabad	..	..	9	1	..	..		
Medak	..	..	..	3	5	..	Amreli	..	..	7	2	..	..		
Nalgonda	..	..	..	10	6	..	Banaskantha	..	..	39	9	..	..		
Hyderabad	..	..	..	7	1	..	Broach	..	..	5	..	..	..		
TOTAL	..	96	44	413	99	..	Kaira	..	..	6	7	..	..		
Total for w/e 11-1-58	194	80	264	82	..	..	M. Saurashtra	..	..	36	36	..	..		
Total for w/e 4-1-58	153	81	284	69	..	..	Sorath	..	..	14	10	..	..		
Assam								East Khandesh	..	..	88	8	..	..	
Darrang	..	..	..	2	..	..	Poona	..	..	22	2	..	..		
Sibsagar	..	..	..	14	1	..	Ratnagiri	..	..	..	1	..	..		
TOTAL	..	..	..	16	1	..	North Satara	..	..	2	..	..	..		
Total for w/e 11-1-58	..	..	..	1	..	..	Sholapur	..	..	7	1	..	..		
Total for w/e 4-1-58	..	..	1	..	..	..	Akola	..	..	28	3	..	..		
							Amraoti	..	..	2	..	..	..		

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th January, 1958--*contd.*

[illegible]

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil; "NR."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th January, 1958—*contd.*

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUE					
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	C.	D.										
Orissa												Uttar Pradesh—contd.																							
Cuttack	.	5	2	51	11	..	..	Lucknow	.	.	..	..	18	6	..	..	Mathura	.	.	..	..	38	5	..	..										
Balasore	.	2	1	7	1	..	..	Sitapur	.	.	..	..	5	2	..	..	Varanasi	.	.	..	..	10	1	..	..										
Puri	.	7	4	198	41	..	..	Unnao	.	.	..	..	4	..	..	..	Allahabad	.	.	..	..	5	4	..	..										
Sambalpur	.	..	..	17	5	..	..	Budaun	.	.	..	..	3	1	..	..	Gonda	.	.	..	..	3	1	..	..										
Bandh	.	..	..	1	..	..	..	Hamirpur	.	.	..	..	8	2	..	..	Hardoi	.	.	..	..	1	1	..	..										
Ganjam	.	..	..	290	6	..	..	Mirzapur	.	.	..	..	..	1	..	..	Rai Bareilly	.	.	..	..	1	5	..	..										
Mayurbhanj	.	..	..	15	..	..	..	TOTAL	.	..	..	218	63	..	..	Total for w/e 11-1-58	..	..	177	68	..	..	..	..											
Dhenkanal	.	4	..	30	1	..	..	Total for w/e 4-1-58	..	..	117	30	..	..	..	..	West Bengal																		
Sundergarh	.	..	..	5	3	..	..	Burdwan	.	.	..	..	62	13	..	..	Birbhum	.	.	..	..	4	..	..	..										
Kalahandi	.	..	..	36	5	..	..	Bankura	.	.	..	..	5	3	..	..	Midnapur	.	.	47	16	58	17	..	..										
Koraput	.	..	..	2	..	..	..	Hooghly	.	.	8	4	37	11	..	..	Howrah	.	.	13	5	64	45	..	..										
Keonjhar	.	..	..	2	..	..	..	24-Parganas	.	.	88	50	153	55	..	..	Calcutta	.	.	24	10	8	6	..	..										
Bolangir Patna	.	..	..	10	2	..	..	Nadia	.	.	..	..	10	19	..	..	Murshidabad	.	.	..	..	154	70	..	..										
TOTAL	.	18	7	674	137	..	..	West Dinajpur	.	..	..	..	1	..	..	..	Malda	.	.	..	..	41	11	..	..										
Total for w/e 11-1-58	37	29	749	134	..	..	..	Purulia	.	.	..	..	6	2	..	..	TOTAL	.	180	85	603	242	..	..	..										
Total for w/e 4-1-58	4	3	521	173	..	..	..	TOTAL	.	180	85	603	242	..	..	Total for w/e 11-1-58	68	40	516	239	..	..	..	..											
Pondicherry												Grand total for India (Excluding H. Pradesh, Kerala, Madhya Pradesh and Rajasthan)																							
TOTAL	.	28	8	2	..	..	..	1351 680 3367 909 .. ..																											
Total for w/e 11-1-58	11	3	..	..	..	..	..	Corresponding Total for w/e 11-1-58 1319 654 3107 886 .. ..																											
Total for w/e 4-1-58	23	15	4	1	..	..	..	Corresponding Total for w/e 4-1-58 1024 507 2707 877 7 1																											
Punjab												ARREAR INFORMATION																							
Hissar	.	..	..	1	1	..	..	West Bengal																											
Karnal	.	..	..	1	2	..	..	for w/e 11-1-58																											
Ambala	.	..	..	18	4	..	..	Burdwan	.	.	..	..	48	17	..	..	Birbhum	.	.	..	..	3	2	..	..										
Patiala	.	..	..	2	..	..	..	Bankura	.	.	..	..	6	..	..	..	Midnapur	.	.	11	7	29	8	..	..										
Bhatinda	.	..	..	4	2	..	..	Hooghly	.	.	..	..	7	4	..	..	Howrah	.	.	5	3	54	41	..	..										
TOTAL	.	..	..	26	9	..	..	24-Parganas	.	.	49	29	157	66	..	..	Calcutta	.	.	3	1	8	7	..	..										
Total for w/e 11-1-58	..	..	19	8	..	..	..	Nadia	.	.	..	..	13	6	..	..	Murshidabad	.	..	..	..	168	83	..	..										
Total for w/e 4-1-58	..	..	18	6	..	..	..	West Dinajpur	.	..	..	..	23	5	..	..	TOTAL	.	68	40	516	239	..	..	..										
Rajasthan												..																							
"N.R."												..																							
Tripura												..																							
TOTAL	.	..	..	..	..	..	..	..																											
Total for w/e 11-1-58	1	1	15	..	..	..	..	..																											
Total for w/e 4-1-58	2	..	9	..	..	..	..	..																											
Uttar Pradesh												..																							
Agra	.	..	..	15	6	..	..	..																											
Allgarh	.	..	..	18	2	..	..	..																											
Azamgarh	.	..	..	12	2	..	..	..																											
Ballia	.	..	..	2	1	..	..	..																											
Bareilly	.	..	..	1	..	..	..	..																											
Bulandshahr	.	..	..	..	1	..	..	..																											
Deoria	.	..	..	21	5	..	..	..																											
Etah	.	..	..	4	2	..	..	..																											
Farrukhabad	.	..	..	1	..	..	..	..																											
Fazabad	.	..	..	7	4	..	..	..																											
Ghazipur	.	..	..	7	4	..	..	..																											
Gorakhpur	.	..	..	6	..	..	..	..																											
Jalaur	.	..	..	5	..	..	..	..																											
Jaunpur	.	..	..	2	..	..	..	..																											
Kanpur	.	..	..	19	7	..	..	..																											
Kheri	.	..	..	2	..	..	..	..																											

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th January, 1958—*contd.*

		CHOLERA		SMALLPOX		PLAQUE				CHOLERA		SMALLPOX		PLAQUE			
—		C.	D.	C.	D.	C.	D.	—		C	D.	C.	D.	C.	D.		
Punjab								Mysore—contd.									
for w/e 11-1-1958																	
Hissar	.	.	..	..	3	4	..	..	Belgaum	.	.	36	6	..	..		
Rohtak	.	.	..	..	1	2	..	..	Bijapur	.	.	2	2	..	..		
Karnal	.	.	..	..	1	..	..	..	Dharwar	.	.	10	1	..	..		
Ambala	.	.	..	..	6	1	..	..	North Kanara	.	.	5	4	..	..		
Ferozepur	.	.	..	..	3	..	..	..	South Kanara	.	.	..	..	24	4		
Gurdaspur	.	.	..	..	..	1	..	..	TOTAL	.	.	61	18	127	42		
Bhatinda	.	.	..	..	5	..	..	..	Mysore	for w/e 14-12-1957						(Supplementary)	
TOTAL	.	.	..	..	19	8	..	..	Gulbarga	.	.	..	..	16	7		
Mysore								Bihar									
for w/e 11-1-1958								for w/e 11-1-1958									
Bangalore	.	.	..	..	54	21	..	..	Patna	.	.	2	..	16	7		
Kolar	.	.	..	..	3	..	..	..	Shahbad	.	.	..	..	3	4		
Mandya	.	.	2	2	4	1	..	..	Darbhanga	.	.	..	..	72	11		
Mysore	.	.	..	..	14	2	..	..	Monghyr.	.	.	..	..	52	24		
Tumkur	.	.	..	..	6	1	..	..	Santal Parganas	.	.	..	..	29	10		
Bellary	.	.	..	..	2	..	..	..	Hazaribagh	.	.	..	..	55	27		
Bidar	.	.	..	..	5	5	..	..	Ranchi	.	.	..	..	4	4		
Gulberga	.	.	..	..	11	6	..	..	Dhanbad.	.	.	..	..	5	..		
Raichur	.	.	6	3	4	2	..	..	TOTAL	.	.	..	..	236	87		

Explanation of symbols used :—C.—Cases ; D.—Deaths .. = Nil.

#### REMARKS

**Cholera** :—Heavy incidence was reported from the districts of South Arcot and Tanjore in Madras State.

**Small-pox** :—Heavy incidence was reported from the districts of (1) Banaskantha, East

Khandesh, Buldhana and Yeotmal in Bombay State ; (2) Madras City in Madras State and (3) Murshidabad in West Bengal State.

Epidemic conditions prevailed in the districts of Puri and Ganjam in Orissa State.

NEW DELHI-2 (INDIA) ;

The 10th February, 1958.

H. R. SHARMA,  
for Registrar General, India.

## Prosper with the NATION

INVEST YOUR SAVINGS IN

### GOVERNMENT OF INDIA'S *Small Savings Scheme*

*and help India's*

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958

Town	Mid.- year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh		"N.R."													
Assam		"N.R."													
Bihar															
Arrah . . . . .	74	9	6.3	..	..	..	2	—	1	..	9	6.3	..		
Bettiah †															
Bhagalpur . . . . .	133	25	9.8	..	..	..	3	—	—	..	18	7.0	..		
Bihar . . . . .	70	26	19.3	..	..	..	2	1	..	..	8	5.9	..		
Chapra . . . . .	72	48	34.7	..	..	..	3	..	1	..	16	11.6	1		
Darbhanga . . . . .	98	22	11.7	..	..	..	2	..	..	..	4	2.1	..		
Dhanbad . . . . .	48	13	14.1	..	..	..	..	..	1	..	5	5.4	..		
Dinapur . . . . .	45	6	6.9	..	..	..	..	1	..	..	4	4.6	..		
Gaya . . . . .	159	63	20.6	..	..	..	15	4	10	2	45	14.7	..		
Hazaribagh . . . . .	42	11	13.6	..	..	..	..	..	1	..	4	5.0	1		
Jamshampur . . . . .	48	9	9.7	..	..	..	1	..	..	..	3	3.2	..		
Jamshedpur . . . . .	266	117	22.9	..	..	..	1	1	3	..	36	7.0	9		
Katihar . . . . .	60	..	..	..	..	..	..	..	..	..	..	..	..		
Monghyr . . . . .	84	2	1.2	..	..	..	1	..	1	..	4	2.5	..		
Muzaffarpur . . . . .	92	29	16.4	..	..	..	4	..	1	..	15	8.5	..		
Patna . . . . .	371	118	16.5	..	1	..	3	..	..	..	28	3.9	..		
Ranchi . . . . .	157	42	13.9	..	1	..	10	1	..	..	20	6.6	4		
TOTAL . . . . .	1,819	540	15.4	..	2	—	47	8	19	2	219	6.3	15		
Bombay		} "N.R."													
Delhi															
Kerala															
Madhya Pradesh															
Madras															
Ambur . . . . .	48	15	16.3	..	..	..	..	2	5	..	10	10.8	2		
Arrupukottai . . . . .	62	26	21.8	..	..	..	3	10	1	..	30	25.2	10		
Bodinayakumur . . . . .	43	20	24.2	..	..	..	..	2	..	..	5	6.0	2		
Chidambaram . . . . .	43	34	41.1	..	..	..	..	..	..	..	6	7.3	2		
Coimbatore . . . . .	267	251	48.9	..	..	..	..	7	28	1	114	22.2	30		
Cuddalore . . . . .	76	42	28.7	..	9	..	4	4	3	1	38	26.0	10		
Dindigul . . . . .	100	73	38.0	..	—	—	9	3	..	..	21	10.9	4		
Erode . . . . .	77	83	56.1	8	..	..	1	1	8	..	32	21.6	5		
Gobichetiypalayam . . . . .	48	5	5.4	..	..	..	1	..	1	..	6	6.5	2		
Gudiyattam . . . . .	58	33	29.6	..	1	..	1	5	1	1	14	12.5	4		
Kancheepuram . . . . .	93	71	39.7	..	1	..	2	8	15	1	49	27.4	7		
Karaikudi . . . . .	47	31	34.3	..	..	..	3	1	..	..	12	13.3	2		
Karur . . . . .	57	32	29.2	1	..	..	..	1	2	..	10	9.1	1		
Kumbakonam . . . . .	115	44	19.9	3	..	..	2	2	1	..	28	12.7	3		
Madras City . . . . .	2,011	874	22.6	1	20	..	94	88	181	1	642	16.6	167		
Madurai . . . . .	488	399	42.5	..	1	—	27	11	22	..	168	17.9	47		
Mayuram . . . . .	53	45	44.2	12	—	..	..	..	..	1	27	26.5	4		
Macapalayam†															
Nagapattinam . . . . .	62	50	41.9	..	..	..	2	7	2	1	23	19.3	2		
Nagercoil . . . . .	109	22	10.5	..	7	..	3	..	..	..	19	9.1	1		
Ootacamund†															
Palni . . . . .	44	35	41.4	..	..	..	..	1	4	..	16	18.9	7		
Palayamkottai . . . . .	48	43	46.6	..	..	..	1	..	2	..	21	22.8	1		
Periyakulam . . . . .	35	26	38.6	..	..	..	..	4	3	..	22	32.7	9		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Pollachi	60	22	19.1	..	3	..	1	4	3	1	23	19.9	5	
Pudukottai	54	60	57.8	..	..	..	1	..	2	..	20	19.3	5	
Rajapalayam	74	18	12.6	..	..	..	2	3	4	1	19	13.4	2	
Salem	279	140	26.1	..	1	..	7	4	11	1	59	11.0	4	
Sriangam	46	13	14.7	..	..	..	1	2	..	..	8	9.0	2	
Srivikippattur	45	22	25.4	..	..	..	3	3	1	..	18	20.8	3	
Tanjore	133	85	33.2	..	..	—	..	..	..	..	17	6.6	5	
Tiruchirappalli	276	45	8.8	6	..	..	7	3	11	..	81	15.8	6	
Tirunelveli	84	42	26.0	2	..	..	1	3	5	..	35	21.7	5	
Tiruppur	73	33	23.5	..	..	..	4	3	8	1	26	18.5	7	
Tiruvannamala	47	28	31.0	..	..	..	..	6	3	..	16	17.7	2	
Tuticorin	121	79	34.0	..	..	..	4	7	21	1	70	30.1	14	
Vaniyambadi	45	26	30.0	..	..	..	1	4	3	..	14	16.2	3	
Vellore	141	107	39.5	4	..	..	..	5	18	..	68	25.1	14	
Villapuram	42	23	28.5	3	..	..	..	2	3	..	15	18.6	1	
Virudhunagar	57	21	19.2	..	..	..	..	..	..	..	6	5.5	3	
TOTAL	5,561	3,018	28.2	40	43	..	185	206	372	12	1,808	16.9	403	

#### Mysore

Bangalore . . .	1,246	504	21.0	..	25	..	10	54	94	..	279	11.6	..
Mysore . . .	347	155	23.2	..	5	..	19	2	1	..	60	9.0	..
Kolar Gold Fields . . .	180	81	23.4	..	3	..	4	6	4	1	41	11.8	..
Bellary . . .	83	21	13.2	..	..	..	1	3	3	..	16	10.0	..
Davangere . . .	85	55	33.6	..	..	..	3	..	..	1	20	12.2	..
Shimoga . . .	68	16	12.2	..	..	..	10	..	..	..	10	7.6	..
Bhadravati†													
Hospet . . .	51	31	31.6	..	..	..	1	..	..	..	5	5.1	..
Tumkur . . .	51	15	15.3	..	..	..	1	..	..	..	1	1.0	..
Kolar†													
Chitaldrug . . .	37	18	25.3	..	..	..	..	..	..	..	2	2.8	..
Hassan†													
Bidar†													
Gulberga . . .	101	22	11.3	..	..	..	..	1	6	..	8	4.1	..
Raichur . . .	74	..	..	..	..	..	2	..	..	..	2	1.4	..
Belgaum . . .	110	33	15.6	..	..	..	2	2	2	..	13	6.1	..
Bijapur . . .	82	45	28.5	..	..	..	2	..	2	1	8	5.1	..
Dharwar . . .	85	22	13.4	..	..	..	1	1	2	..	10	6.1	..
Mangalore . . .	153	32	10.9	..	..	..	..	..	1	..	7	2.4	..
Bagalkot . . .	39	27	36.0	..	..	..	..	..	1	1	6	8.0	..
Hubli†													
Gadag (Bettigere) . . .	73	30	21.3	..	..	..	3	3	..	2	23	16.3	..
<b>TOTAL . . .</b>	<b>2,865</b>	<b>1,107</b>	<b>20.1</b>	<b>..</b>	<b>33</b>	<b>..</b>	<b>59</b>	<b>72</b>	<b>116</b>	<b>6</b>	<b>511</b>	<b>9.3</b>	<b>..</b>

#### Orissa

Behrampur . . .	81	60	38.5	..	46	..	1	1	2	..	55	35.3	6
Cuttack . . .	129	126	50.8	..	..	..	9	4	5	..	39	15.7	7
Puri . . .	56	51	47.3	..	3	..	8	4	..	1	28	26.0	4
<b>TOTAL . . .</b>	<b>266</b>	<b>237</b>	<b>46.3</b>	<b>..</b>	<b>49</b>	<b>..</b>	<b>18</b>	<b>9</b>	<b>7</b>	<b>1</b>	<b>122</b>	<b>23.8</b>	<b>17</b>
<b>Pondicherry . . .</b>	<b>68</b>	<b>65</b>	<b>49.7</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>23</b>	<b>17.6</b>	<b>13</b>

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever, D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Town	Mid-year Popn. Est. (200)	Deaths from —										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab														
Ambala	62	53	44.4	..	..	..	1	1	7	..	11	9.2	4	
Amritsar	359	229	33.9	..	..	..	—	7	13	..	65	9.2	23	
Batala	66	47	37.0	..	..	..	3	..	1	..	5	3.9	1	
Bhiwani	59	49	43.2	..	..	..	3	..	6	..	13	11.4	4	
Ferozepur†	41	28	35.5	..	..	..	4	..	4	..	9	11.1	..	
Hissar	..	..	..	..	..	..	..	..	..	..	..	..	..	
Hoshiarpur	54	23	22.1	..	..	..	3	..	..	..	3	2.9	1	
Jullundur	237	160	36.2	..	..	..	4	2	11	..	29	6.6	9	
Karnal	83	53	33.2	..	..	..	2	..	2	..	9	5.6	2	
Ludhiana	194	141	37.8	..	..	..	2	..	4	..	34	9.1	8	
Moga†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Panipat	72	40	28.9	..	..	..	2	..	3	..	6	4.3	2	
Pathankot	36	18	26.0	..	..	..	..	..	5	..	5	7.2	..	
Rewari	40	24	31.2	..	..	..	6	..	2	..	9	11.7	2	
Rohtak	96	61	33.0	..	..	..	2	1	3	..	11	6.0	8	
Simla†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Sonepat	36	34	49.1	..	..	..	3	..	2	..	11	15.9	..	
Bhatinda	45	20	23.1	..	..	..	1	..	1	..	2	2.3	1	
Malerkotla	35	21	31.2	..	..	..	6	..	..	..	7	10.4	..	
Patiala	125	103	42.8	..	..	..	5	1	4	..	16	6.7	3	
TOTAL	1,633	1,104	35.2	..	..	..	47	12	68	..	245	7.8	68	
Rajasthan														
Ajmer	244	105	22.4	..	2	..	1	1	9	..	34	7.2	7	
Alwar	61	23	19.6	..	..	..	2	..	1	..	7	5.9	2	
Beawar	65	8	6.4	..	1	..	11	..	5	..	23	18.4	4	
Bharatpur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Bikaner†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Churu†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Ganganagar†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Jaipur	419	92	11.4	..	..	..	35	3	13	..	80	9.9	23	
Jodhpur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Kota†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Sikar†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Tonk†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Udaipur	121	2	0.9	..	..	..	1	..	..	..	3	1.3	..	
TOTAL	910	230	13.1	..	3	..	50	4	28	..	147	8.4	36	
Uttar Pradesh														
Agra	404	250	32.2	..	..	..	1	4	57	..	130	17.9	39	
Allahabad	372	150	21.0	..	..	..	..	3	24	..	50	7.0	14	
Amroha	61	46	39.2	..	..	..	2	1	8	..	20	17.0	9	
Bahraich	49	17	18.0	..	..	..	4	..	3	..	9	9.5	1	
Banaras†	416	364	45.5	..	..	..	34	4	17	..	179	22.4	36	
Banda†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Barcilly	206	65	16.4	..	..	..	8	2	14	..	32	8.1	4	
Basti†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Ballia†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Bijnor	33	9	14.2	..	..	..	..	..	..	..	..	..	..	
Budaun	55	40	37.8	..	..	..	1	..	8	..	12	11.3	5	
Bulandshahr†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Chandausi	44	43	50.8	..	..	..	..	2	7	..	20	23.6	8	
Dehra Dun	186	106	29.6	..	1	..	3	2	8	..	37	10.3	4	
Etawah†	..	..	..	..	..	..	..	..	..	..	..	..	..	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh— <i>contd.</i>														
Faizabad Ayodhya .	94	21	11·6	..	..	..	..	..	3	..	8	4·4	1	
Farukhabad-Fatehgarh .	78	48	32·0	..	..	..	6	1	7	..	19	12·7	2	
Perozabad .	93	50	28·0	..	..	..	4	..	..	..	12	6·7	2	
Ghazipur . . .	35	19	28·2	..	..	..	3	..	1	..	8	11·9	..	
Ghaziabad . . .	68	40	30·6	..	..	..	3	..	1	..	8	6·1	3	
Gonda . . .	35	7	10·4	..	..	..	1	..	..	..	1	1·5	..	
Gorakhpur . . .	150	85	29·5	..	..	..	4	2	6	..	22	7·6	10	
Hapur . . .	65	33	26·4	..	1	..	8	..	4	..	14	11·2	5	
Hardwar†														
Hathras . . .	65	38	30·4	..	..	..	11	1	4	..	24	19·2	9	
Jaunpur . . .	59	20	17·6	..	..	..	3	..	2	..	10	8·8	1	
Jhansi . . .	132	81	31·9	..	..	..	10	..	3	..	21	8·3	6	
Kanpur . . .	810	332	21·3	..	5	..	114	22	34	7	312	20·0	77	
Kasganj . . .	34	16	24·5	..	..	..	2	1	8	..	16	24·5	2	
Khurja†														
Koil Aligarh . . .	167	65	20·2	..	..	..	2	2	6	..	14	4·4	3	
Lucknow . . .	525	424	42·0	..	4	..	34	13	49	..	212	21·0	39	
Mathura . . .	118	75	33·1	..	1	..	10	..	7	..	23	10·1	2	
Mau Nath Bhanjant														
Meerut . . .	198	128	33·6	..	..	..	7	..	10	..	26	6·8	5	
Mirzapur Vindhychal .	100	49	25·5	..	..	..	11	2	5	..	25	13·0	1	
Moradabad . . .	165	109	34·4	..	..	..	6	1	13	..	34	10·7	7	
Muzaffarnagar . . .	81	78	50·1	..	..	..	4	..	2	..	10	6·4	4	
Pilibhit . . .	47	17	18·1	..	..	..	1	..	3	..	6	6·6	3	
Rampur†														
Saharanpur . . .	178	124	36·2	..	..	..	27	..	6	..	49	14·3	19	
Sambhal†														
Sitapur . . .	52	23	23·0	..	..	..	5	..	..	..	9	9·0	1	
Shahjahanpur . . .	112	124	57·6	..	..	..	17	1	8	..	37	17·2	3	
TOTAL .	5,287	3,096	30·5	..	11	..	346	64	328	7	1,417	13·9	325	

**West Bengal**

“N.R.”

**ARREAR INFORMATION**

Rajasthan				w/e 28-12-1957												
Udaipur	.	.	.	110	9	4'3	..	..	..	..	..	1	..	6	2'8	..
w/e 4-1-1958																
Udaipur	.	.	.	121	3	1'3	..	1	..	..	..	2	..	5	2'1	..
Alwar	.	.	.	61	37	31'5	..	..	..	..	1	3	..	15	12'8	2
w/c 11-1-1958																
Jaipur	.	.	.	419	116	14'4	..	..	..	45	5	3	1	85	10'5	37
Alwar	.	.	.	61	36	30'7	..	..	..	3	1	5	1	14	11'9	2
Bikaner	.	.	.	117	50	22'2	..	..	..	2	2	8	..	25	11'1	2
Udaipur	.	.	.	121	3	1'3	..	..	..	..	..	..	..	6	2'6	..
Mysore				w/e 11-1-58												
Bijapur	.	.	.	82	27	17'1	..	..	..	1	2	..	..	10	6'3	..
Punjab				w/e 11-1-1958												
Hissar	.	.	.	41	40	50'7	..	..	..	4	1	3	..	8	10'1	4
Bhiwani	.	.	.	59	42	37'0	..	..	..	3	2	3	..	15	13'2	3
Pondicherry				w/e 28-12-57												
Pondicherry	.	.	.	69	73	55'0	..	..	..	5	3	3	..	32	24'1	18

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; “N.R.”=Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Town	Mid-year Popn. Est. B. (ooo)	B.R.*	Deaths from:—							Total	D.R.*	I.D.	
			C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh			w/e 7-12-1957										
Proddatur	43	34	41.1	..	2	..	..	1	1	1	16	19.3	2
Warrangal	160	22	7.2	..	..	..	5	..	2	..	9	2.9	..
			w/e 14-12-1957										
Proddatur	43	45	54.4	..	..	..	..	1	2	..	14	16.9	9
Adoni	66	31	24.4	..	..	..	1	..	2	..	12	9.5	3
Warrangal	160	40	13.0	..	..	..	2	..	1	..	4	1.3	..
			w/e 4-1-1958										
Hospet	47	21	23.2	..	..	..	..	..	1	..	5	5.5	..
			w/e 11-1-1958										
Bidar	38	11	15.1	..	..	..	5	..	2	..	7	9.6	..
Gulberga	93	15	8.4	..	..	..	1	..	1	..	6	3.4	..
Dharwar	79	25	16.4	..	..	..	2	..	4	..	17	11.2	..
			w/e 16-11-1957										
Jammu	71	57	41.7	..	..	..	2	..	2	..	12	8.8	..
			w/e 23-11-1957										
Do.	71	67	49.1	..	..	..	4	..	3	..	13	9.5	1
			w/e 30-11-1957										
Do.	71	63	46.2	..	..	..	5	..	4	..	22	16.1	2
			w/e 7-12-1957										
Do	71	94	68.8	..	..	..	4	..	..	1	9	6.6	..
			w/e 14-12-1957										
Do.	71	64	46.9	..	..	..	1	..	1	..	6	4.4	1
			w/e 7-9-1957										
Srinagar	246	141	29.8	..	..	..	..	..	7	..	28	5.9	6
			w/e 14-9-1957										
Do.	246	109	23.0	..	..	..	4	..	7	..	22	4.7	4
			w/e 21-9-1957										
Do.	246	141	29.8	..	..	..	5	..	5	..	33	7.0	2
			w/e 28-9-1957										
Do.	246	157	33.2	..	..	..	2	..	8	..	33	7.0	3
			w/e 5-10-1957										
Do.	246	117	24.3	..	..	..	3	..	5	..	28	5.9	4
			w/e 12-10-1957										
Do.	246	102	21.6	..	..	..	3	..	6	..	22	4.7	..
			w/e 19-10-1957										
Do.	246	120	25.4	..	..	..	4	..	6	1	31	6.6	2
			w/e 26-10-1957										
Do.	246	66	14.0	..	..	..	2	..	4	..	23	4.9	2
			For w/e 28-12-57										
Bombay													
Ahmedabad	915	954	54.2	..	..	..	21	7	61	..	317	18.0	101
Ahmednagar	90	55	31.8	..	..	..	1	..	3	..	21	12.1	5
Amalner	51	26	26.5	..	..	..	3	..	2	..	13	13.3	1
Baroda	250	233	48.5	..	..	..	23	1	19	..	68	14.1	14
Barsat	..	..	..	..	..	..	..	..	..	..	..	..	..
Bhusawal	65	43	34.4	..	..	..	4	1	4	..	22	17.6	1
Broach	68	73	55.8	..	..	..	5	..	6	..	26	19.9	7
Cambay	42	26	32.2	..	..	..	3	..	1	1	19	23.5	3
Chalisgaon	36	35	50.6	..	..	..	11	..	..	..	14	20.2	4
Dhulia	92	44	24.9	1	..	..	3	..	3	..	13	7.3	1
Godhra	41	27	34.2	..	..	..	5	1	..	..	9	11.4	4
Greater Bombay	3,590	2,082	30.2	..	4	..	1	29	122	..	647	9.4	170
Jalgaon	82	27	17.1	..	..	..	2	1	2	..	13	8.2	1
Kalyan	76	64	43.8	..	..	..	3	..	7	..	22	15.1	6
Kolhapur	164	90	28.5	..	..	..	1	..	1	..	22	7.0	..

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Town	Mid-Year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay—contd.															
Malegaon . . . . .	65	25	20.0	..	..	..	11	..	6	..	19	15.2	5		
Miraj . . . . .	45	16	18.5	..	..	..	..	..	..	..	..	..	..		
Nadiad . . . . .	73	57	40.6	..	..	..	3	1	2	..	29	20.7	7		
Nandurbar . . . . .	36	23	33.2	..	..	..	3	..	5	..	20	28.9	4		
Nasik . . . . .	124	54	22.6	..	..	..	9	2	3	3	40	16.8	5		
Narsari . . . . .	51	32	32.6	..	..	..	6	..	..	..	12	12.2	1		
Pandharpur . . . . .	45	39	45.1	..	..	..	4	4	7	..	23	26.6	10		
Patan . . . . .	48	43	46.6	..	..	..	3	1	2	..	20	21.7	5		
Poona . . . . .	634	318	26.1	..	..	..	2	5	12	1	97	8.0	21		
Sangli . . . . .	60	40	34.7	..	..	..	1	..	2	..	13	11.3	1		
Satara . . . . .	41	45	57.1	..	1	..	4	..	2	1	24	30.4	7		
Sholapur . . . . .	308	252	42.5	..	..	..	6	6	29	2	97	16.4	13		
Surat . . . . .	257	229	46.3	..	..	..	24	2	13	..	87	17.6	31		
Thana . . . . .	64	35	28.4	..	..	..	4	..	1	..	11	8.9	2		
Bhavnagar . . . . .	158	27	8.9	..	..	..	9	3	13	..	41	13.5	9		
Dhoraji . . . . .	48	18	19.5	..	..	..	1	..	1	..	5	5.4	1		
Gondal . . . . .	41	25	31.7	..	..	..	3	..	..	..	7	8.9	..		
Jamnagar . . . . .	126	22	9.1	..	..	..	6	1	6	..	33	13.6	9		
Junagarh . . . . .	66	34	26.8	..	2	..	8	1	..	..	21	16.5	4		
Morir . . . . .	43	13	15.7	..	..	..	4	..	2	..	7	8.5	..		
Porbander . . . . .	66	51	40.2	..	..	..	11	..	4	1	27	21.3	5		
Rajkot . . . . .	175	110	32.7	..	72	..	22	..	15	..	129	38.3	38		
Veraval . . . . .	47	5	5.5	..	10	..	2	..	4	..	24	26.6	4		
Surendranagar . . . . .	44	22	26.0	..	..	..	8	..	2	..	13	5.4	..		
Nagpur . . . . .	546	619	59.0	..	..	..	58	11	14	5	332	31.6	87		
Achalpur . . . . .	39	24	32.0	..	..	..	4	..	2	..	9	12.0	2		
Akola . . . . .	108	101	48.6	..	..	..	14	2	5	..	41	19.7	11		
Amravati†															
Chanda . . . . .	44	45	53.2	..	..	..	5	..	..	..	15	17.7	3		
Gondia . . . . .	47	30	33.2	..	..	..	4	1	..	..	10	11.1	2		
Hinganghat . . . . .	36	24	34.7	..	..	..	1	..	..	..	5	7.2	1		
Khangaon . . . . .	44	24	28.4	..	..	..	..	4	2	..	8	9.5	1		
Waraha . . . . .	47	25	27.7	..	..	..	2	..	1	..	4	4.4	..		
Yeotmal . . . . .	42	18	22.3	..	..	..	6	1	1	..	21	26.0	..		
Kamptee . . . . .	37	11	15.5	..	..	..	4	..	2	..	11	15.5	4		
Aurangabad . . . . .	76	8	5.5	..	..	..	2	1	2	..	6	4.1	..		
Lathur†															
Nanded . . . . .	84	33	20.4	..	12	..	3	1	2	..	22	13.6	1		
Parbhani . . . . .	41	5	6.3	..	..	..	2	..	2	..	4	5.1	..		
Jalna . . . . .	72	14	10.1	..	8	..	1	..	3	..	15	10.8	1		
TOTAL . . . . .	9,490	6,295	34.5	1	109	..	346	87	398	14	2,528	13.9	613		
Kerala															
For w/s 28-12-57															
Alleppey . . . . .	155	115	38.6	..	..	..	2	2	..	..	21	7.0	4		
Changanacherry . . . . .	42	48	59.4	..	..	..	2	3	..	..	11	13.6	3		
Kottayam†															
Ernakulam . . . . .	72	51	36.8	..	..	..	1	..	..	..	11	7.9	1		
Mattancherry†															
Quilon . . . . .	77	63	42.6	..	..	..	..	4	..	..	10	6.8	2		
Trichur . . . . .	78	163	108.7	..	..	..	5	3	..	..	31	20.7	2		
Trivandrum . . . . .	226	164	37.7	..	..	..	8	17	..	..	101	23.2	.9		
Kozhikode . . . . .	181	157	45.1	..	..	..	5	6	9	..	65	18.7	9		
Palghat . . . . .	79	31	20.4	..	..	..	4	..	2	..	24	15.8	4		
Cannanore . . . . .	48	26	28.2	..	..	..	..	..	..	..	1	1.1	..		
Tellicherry . . . . .	43	28	33.9	..	..	..	..	1	1	..	15	18.1	2		
Cochin . . . . .	32	17	27.6	..	..	..	..	..	1	..	6	9.8	1		
TOTAL . . . . .	1,033	863	43.4	..	..	..	27	36	13	..	296	14.9	37		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used : B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Town	Mid-Year Popn. Est., (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*								Total			
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay		For w/e 4-II-57												
Ahmedabad . . . .	970	851	45.6	..	..	..	17	5	80	..	328	17.6	98	
Ahmednagar . . . .	108	80	38.5	..	..	..	1	..	6	..	16	7.7	6	
Amalner . . . . .	54	37	35.6	..	..	..	6	..	4	..	16	15.4	3	
Baroda . . . . .	266	241	47.1	..	..	..	20	1	16	..	73	14.3	20	
Barsi . . . . .	48	15	16.3	..	..	..	8	..	..	..	12	13.0	1	
Bhusawal . . . . .	73	72	51.3	..	..	..	8	2	1	..	24	17.1	4	
Broach †														
Cambay . . . . .	42	34	42.1	..	..	..	2	1	2	..	20	24.8	5	
Chalisgaon . . . . .	38	25	34.2	..	..	..	2	..	1	..	3	4.1	2	
Dhulia . . . . .	101	70	36.0	..	..	..	3	..	3	..	14	7.2	1	
Godhra . . . . .	41	35	44.4	..	..	..	9	1	..	..	12	15.2	4	
Greater Bombay . . . .	4,117	2,232	28.2	..	10	..	..	27	160	1	723	9.1	180	
Jalgaon . . . . .	88	132	78.0	..	..	..	2	1	3	..	15	8.9	2	
Kalyan . . . . .	93	11	6.2	..	..	..	1	..	1	..	4	2.2	..	
Kolhapur . . . . .	181	39	11.2	..	..	..	1	..	..	..	9	2.6	3	
Malegaon . . . . .	74	54	37.9	..	..	..	33	..	6	1	43	30.2	12	
Miraj . . . . .	47	51	56.4	1	..	..	1	..	5	..	36	39.8	1	
Nadiad . . . . .	78	72	48.0	..	..	..	6	..	2	..	25	16.7	10	
Nandurbar . . . . .	38	32	43.8	..	..	..	2	1	4	..	15	20.5	..	
Nasik . . . . .	151	103	35.5	..	..	..	16	..	3	..	38	13.1	5	
Navsari . . . . .	52	37	52.0	..	..	..	4	..	1	..	12	12.0	2	
Pandharpur . . . . .	47	42	46.5	..	..	..	2	3	4	..	14	15.5	8	
Patan . . . . .	49	51	54.1	..	..	..	1	2	8	..	25	26.5	3	
Poona . . . . .	717	370	26.8	..	..	..	..	4	21	..	94	6.8	23	
Sangli . . . . .	66	34	26.8	..	..	..	2	..	4	..	18	14.2	3	
Satara . . . . .	43	25	30.2	..	..	..	1	1	2	..	17	20.6	6	
Sholapur . . . . .	325	257	41.1	..	..	..	11	2	46	..	120	19.2	26	
Surat . . . . .	270	240	46.2	..	..	..	13	1	16	..	81	15.6	23	
Thana . . . . .	73	29	20.7	..	..	..	..	..	1	..	11	7.8	2	
Bhavnagar . . . . .	171	73	22.2	..	..	..	7	2	11	..	32	9.7	6	
Dhoraji . . . . .	49	18	19.1	..	..	..	3	..	..	..	6	6.4	2	
Gondal . . . . .	43	29	35.1	..	2	..	4	4	3	..	19	23.0	..	
Jamnagar . . . . .	138	16	6.0	..	..	..	5	..	8	..	38	14.3	10	
Junagadh . . . . .	66	36	28.4	..	3	..	7	..	2	..	17	13.4	1	
Morvi . . . . .	44	16	18.9	..	1	..	2	..	1	..	5	5.9	1	
Porbander . . . . .	68	23	17.6	..	..	..	4	2	..	1	13	9.9	..	
Rajkot . . . . .	217	113	27.1	..	90	..	19	3	12	..	153	36.7	47	
Veraval . . . . .	50	23	23.9	..	13	..	4	..	2	..	29	30.2	7	
Surendranagar . . . . .	52	11	11.0	..	..	..	3	..	..	..	3	3.0	..	
Nagpur . . . . .	602	700	60.5	..	..	..	30	8	17	4	215	18.6	67	
Achalpur . . . . .	39	9	12.0	..	..	..	2	2	1	..	9	12.0	1	
Akola . . . . .	110	66	31.2	..	..	..	7	3	3	..	22	10.4	5	
Amravati †														
Chanda . . . . .	45	38	43.9	..	..	..	4	..	2	..	19	22.0	8	
Gondia . . . . .	56	32	29.7	..	..	..	6	..	..	..	10	9.3	3	
Hinganghat . . . . .	37	17	23.9	..	..	..	2	..	..	..	13	18.3	7	
Khangaon . . . . .	47	32	35.4	..	..	..	4	..	1	..	7	7.7	..	
Wardha . . . . .	51	27	27.5	..	..	..	..	..	1	..	6	6.1	2	
Yeotmal . . . . .	45	42	48.5	..	..	..	5	1	1	..	21	24.3	..	
Kamptee . . . . .	40	29	37.7	..	..	..	2	..	1	..	5	6.5	2	
Aurangabad . . . . .	81	16	10.3	..	..	..	..	..	1	..	5	3.2	..	
Lathur†														
Nanded . . . . .	46	16	18.1	..	..	..	2	..	2	1	6	6.8	..	
Nanded . . . . .	98	31	16.4	..	7	..	2	..	2	..	17	9.0	..	
Parbhani . . . . .	46	6	6.8	..	1	..	2	..	1	..	5	5.7	..	
Jalna . . . . .	80	4	2.6	..	4	..	..	..	4	..	11	7.2	2	
TOTAL .		10,571	6,694	32.9	1	131	..	298	77	476	8	2,504	12.3	624

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

†Figures not available.

Explanation of Symbols used.—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D
		B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh															
For w/e 28-12-57															
Adoni . . . . .	66	35	27.6	..	1	..	2	..	2	3	15	11.8	..		
Anantpur . . . . .	39	30	40.0	..	..	..	5	1	1	1	24	32.0	2		
Anakapalli†															
Bhimavaram . . . . .	37	46	64.6	1	..	..	1	..	2	..	10	14.1	2		
Chirala . . . . .	45	41	47.4	..	..	..	3	3	..	..	12	13.9	1		
Chittoor . . . . .	46	47	53.1	..	..	..	5	1	..	..	13	14.7	1		
Cuddapah . . . . .	44	30	35.5	..	1	..	1	..	3	..	5	5.9	..		
Ellore . . . . .	102	66	33.4	..	..	..	1	3	3	..	42	21.4	8		
Gudivada . . . . .	37	54	76.0	4	..	..	1	..	..	..	9	12.6	..		
Guntur . . . . .	153	229	77.8	..	..	..	1	4	8	..	46	15.6	12		
Guntakal . . . . .	39	18	24.0	..	..	..	3	..	2	..	8	10.7	..		
Kakinada . . . . .	117	52	23.1	..	..	..	3	1	2	..	26	11.5	4		
Kurnool . . . . .	70	49	36.4	..	..	..	2	3	1	3	38	28.2	9		
Masulipatam . . . . .	91	74	42.3	..	..	..	5	1	2	..	28	16.0	5		
Nandyal . . . . .	38	38	52.0	6	..	..	..	..	2	2	21	28.7	2		
Nellore . . . . .	98	116	61.6	..	..	..	4	8	2	1	47	24.9	8		
Proddutur†															
Rajahmundry . . . . .	126	120	49.5	..	..	..	2	1	1	..	18	7.4	5		
Tenali . . . . .	70	44	32.7	4	..	..	3	..	1	..	22	16.3	6		
Vijayawada†															
Visakhapatnam . . . . .	133	82	32.1	..	5	..	9	7	7	..	22	8.6	..		
Vizianagaram . . . . .	77	41	27.7	..	9	..	7	..	4	4	57	38.5	5		
Hyderabad . . . . .	1,102	649	30.6	..	2	..	21	..	18	1	126	5.9	17		
Warrangal†															
Nizamabad . . . . .	70	12	8.9	..	..	..	2	..	2	..	4	3.0	2		
Kothagudiam†															
Secunderabad . . . . .	188	135	37.3	..	..	..	4	2	4	..	34	9.4	6		
TOTAL . . . . .	2,788	2,008	37.5	15	18	..	85	35	67	15	627	11.7	95		

Bihar				For w/e 28-12-57												
Arrah	.	.	.	72	8	5.8	...	...	...	6	...	...	...	10	7.2	...
Bettiah	.	.	.	39	20	26.7	...	1	...	1	1	1	...	6	8.0	1
Bhagalpur	.	.	.	130	32	12.8	...	...	...	4	...	...	...	20	8.0	...
Bihar	.	.	.	69	12	9.0	...	...	...	4	...	...	...	6	4.5	...
Chapra	.	.	.	71	29	21.2	...	...	...	1	...	...	...	5	3.7	...
Darbhanga	.	.	.	95	18	9.9	...	...	...	1	...	1	...	5	2.7	...
Dhanbad	.	.	.	42	15	18.6	...	...	...	...	...	1	...	7	8.7	...
Dinapur†																
Gaya	.	.	.	153	32	10.9	...	...	...	15	4	8	...	33	11.2	...
Hazaribagh	.	.	.	40	12	15.6	...	...	...	...	...	...	...	3	3.9	...
Jamalpur	.	.	.	48	3	3.3	...	...	...	1	...	...	...	2	2.2	...
Jamshedpur	.	.	.	253	152	31.2	...	1	...	...	...	4	...	13	2.7	4
Katihar	.	.	.	53	..	...	...	...	...	...	...	...	...	...	...	...
Monghyr†																
Muzaffarpur	.	.	.	87	29	17.3	...	...	...	5	...	5	...	19	11.4	...
Patna	.	.	.	341	56	8.5	...	...	...	8	...	...	...	23	3.5	...
Ranchi	.	.	.	134	9	3.5	...	1	...	4	...	...	...	15	5.8	...
TOTAL	.	.	.	1,627	4,27	13.6	...	3	...	50	5	20	...	1,67	5.3	11

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30, 000 and over in India for the week ending the 18th January, 1958—*contd.*

Deaths from :—														
Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Andhra Pradesh		w/e 4-1-58												
Adoni	72	45	32.5	..	..	..	1	1	9	..	18	13.0	4	
Anantpur . . .	42	40	49.5	..	..	..	..	1	1	..	6	7.4	4	
Anakapalli . . .	51	31	31.6	..	..	..	1	3	1	1	21	21.4	2	
Bhimavaram . . .	41	19	24.1	..	1	..	3	..	..	..	8	10.1	..	
Chirala . . .	48	35	37.9	..	..	..	5	1	2	..	14	15.2	2	
Chittoor . . .	50	9	9.4	..	..	..	..	..	..	..	1	1.0	..	
Cuddapah†														
Ellore . . .	108	63	30.3	..	..	..	2	2	2	1	34	16.4	10	
Gudivada . . .	40	43	55.9	1	..	..	1	..	..	..	11	14.3	..	
Guntur . . .	168	94	29.1	..	..	..	7	2	4	..	61	18.9	12	
Guntakal†														
Rakinada . . .	123	58	24.5	..	..	..	5	..	6	..	27	11.4	6	
Kurnool . . .	74	81	56.9	..	..	..	1	..	3	..	33	23.2	10	
Masulipatam . . .	95	87	47.6	..	..	..	3	1	..	..	20	10.9	4	
Nandyal . . .	40	15	19.5	..	..	..	..	..	1	3	11	14.3	4	
Nellore . . .	107	82	39.9	2	..	..	4	6	2	1	57	27.7	3	
Proddutur†														
Rajahmundry†														
Tenali . . .	76	67	45.8	1	..	..	2	2	2	1	19	13.0	6	
Vijayavada . . .	253	205	42.1	3	..	..	10	4	4	1	74	15.2	22	
Visakhapatnam . . .	148	85	29.9	..	6	..	10	14	11	..	62	21.8	19	
Vizilangam . . .	81	44	28.2	..	14	..	4	7	6	..	62	39.8	7	
Hyderabad . . .	1,291	260	10.5	..	2	..	23	3	12	1	113	4.5	5	
Warrangal . . .	173	24	7.2	..	1	..	5	..	5	..	15	4.5	..	
Nizamabad†														
Kothagudiam†														
Secunderabad . . .	188	115	31.8	..	1	..	1	1	8	1	36	10.0	11	
TOTAL . . .	3,269	1,502	23.9	7	25	..	88	48	79	10	703	11.2	131	
West Bengal		For w/e 7-12-57												
Assansol . . .		89	2	1.2	..	..	..	..	..	..	..	2	1.2	..
Baidyhati†														
Bally . . .		67	8	6.2	..	..	..	..	..	..	..	2	1.6	..
Bankhura . . .		50	6	6.3	..	..	..	1	..	..	..	2	2.1	..
Bansberia†														
Basirhat . . .		40	13	16.9	1	..	..	..	1	..	..	4	5.2	1
Baranagar . . .		93	50	28.0	..	..	..	1	4	2	..	18	10.1	4
Behrampur . . .		65	49	39.2	..	9	..	3	..	1	..	19	15.2	7
Bhadreswar . . .		35	10	14.9	..	..	..	1	..	1	..	3	4.5	..
Bhatpara . . .		145	28	10.0	..	1	..	11	2	4	1	41	14.7	10
Burdwan . . .		84	20	12.4	..	..	..	1	..	..	..	12	7.4	..
Calcutta . . .		3,060	1,747	29.7	2	5	..	20	37	165	2	625	10.6	195
Champadani . . .		41	15	19.0	..	..	..	..	..	..	..	2	2.5	..
Cooch-Behar†														
Darjeeling . . .		39	17	22.7	..	..	..	1	..	..	..	4	5.3	..
English Bazar . . .		37	21	29.5	..	..	..	..	..	..	..	1	1.4	..
Garden Reach . . .		127	16	6.6	..	..	..	2	1	2	..	11	4.5	2
Halisahar . . .		42	3	3.7	..	..	..	..	..	..	..	3	3.7	2
Hooghly-Chinsura . . .		61	80	68.2	..	..	..	5	..	3	..	13	11.1	1
Howrah . . .		487	207	22.1	..	8	..	2	9	43	..	135	14.4	44
Jalpaiguri†														
Kamarhati†														
Kanchrapara . . .		78	13	8.7	..	..	..	..	..	..	..	2	1.3	..
Krishnagar . . .		58	..	..	..	..	..	..	..	..	..	..	..	..

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week week ending the 18th January, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal— <i>contd.</i>														
Midnapur . . . . .	45	28	32.4	..	..	..	3	1	4	..	21	24.3	..	..
Nabadwip† . . . . .	73	31	22.1	..	..	..	14	1	..	..	16	11.4	2	..
Naihati . . . . .	64	6	4.9	..	..	..	1	1	4	..	11	9.0	1	..
North Barrackpore . . . . .	37	6	8.4	..	..	..	..	1	..	..	3	4.2	..	..
Panihati . . . . .	68	4	3.1	..	..	..	..	2	2	..	9	6.9	..	..
Sardipur . . . . .	51	23	23.5	..	..	..	..	..	..	..	5	5.1	2	..
Sehrampur . . . . .	86	59	35.8	..	..	..	3	2	3	..	21	12.7	9	..
Siliguri†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
South Dum Dum . . . . .	87	..	..	..	..	..	..	..	..	..	..	..	..	..
South Suburban . . . . .	129	38	15.4	..	..	..	..	3	3	..	9	3.6	2	..
Titagarh. . . . .	79	16	10.6	..	..	..	10	..	2	..	13	8.6	4	..
Purulia . . . . .	49	7	7.4	..	..	..	1	..	1	..	4	4.3	..	..
Budge-Budge . . . . .	32	17	27.6	..	..	..	3	2	1	..	6	9.8	2	..
Chandernagore . . . . .	57	47	43.0	..	..	..	..	..	3	1	12	11.0	1	..
Kharagpur . . . . .	77	12	8.1	..	..	..	..	..	..	..	2	1.4	..	..
TOTAL . . . . .	5,632	2,599	24.0	3	23	..	83	67	244	4	1031	9.5	289	
West Bengal For w/e 14-12-57														
Assansol . . . . .	89	3	1.8	..	1	..	..	..	..	..	2	1.2	..	..
Baidyabati†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Bally . . . . .	67	12	9.3	..	..	..	..	1	2	..	6	4.7	..	..
Bankura . . . . .	50	30	31.2	..	..	..	1	..	..	..	4	4.2	..	..
Bansberia†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Basirhat . . . . .	40	16	20.9	..	..	..	..	..	..	..	2	2.6	1	..
Baranagar . . . . .	93	46	25.8	..	..	..	1	2	4	..	15	8.4	4	..
Behrampur . . . . .	65	50	40.0	..	11	..	1	..	..	..	21	16.8	5	..
Bhadreswar . . . . .	35	8	11.9	..	..	..	..	..	..	..	2	3.0	..	..
Bhatpara . . . . .	145	29	10.4	..	3	..	20	2	7	..	57	20.5	10	..
Burdwan . . . . .	84	18	11.2	..	..	..	..	..	3	..	9	5.6	..	..
Calcutta . . . . .	3,060	1,672	28.4	2	10	..	21	36	142	3	587	10.0	136	..
Champadani . . . . .	41	12	15.3	..	..	..	..	..	..	..	4	5.1	..	..
Cooch-Behar†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Darjeeling . . . . .	39	20	26.7	..	..	..	1	..	..	..	4	5.3	..	..
English Bazar . . . . .	37	37	52.0	..	..	..	1	..	..	..	2	2.8	..	..
Garden Reach . . . . .	127	15	6.2	..	..	..	..	3	3	..	11	4.5	2	..
Halisahar . . . . .	42	1	1.2	..	..	..	..	..	..	..	4	5.0	..	..
Hooghly-Chinsura . . . . .	61	78	66.7	..	..	..	1	3	1	..	10	8.5	2	..
Howrah . . . . .	487	206	22.1	..	11	..	..	10	40	..	116	12.4	40	..
Jalpaiguri†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Kamarhati†	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Kanchrapara . . . . .	78	22	14.7	..	3	..	..	..	..	..	5	3.3	..	..
Krishnagar . . . . .	58	..	..	..	..	..	1	..	..	..	2	1.8	..	..
Midnapur . . . . .	45	61	70.7	..	..	..	..	1	1	..	11	12.7	..	..
Nabadwip . . . . .	73	59	42.1	..	..	..	7	1	..	..	10	7.1	1	..
Naihati . . . . .	64	4	3.3	..	..	..	..	1	1	..	3	2.4	..	..
North Barrackpore . . . . .	37	8	11.3	..	..	..	..	..	..	..	1	1.4	..	..
Panihati . . . . .	68	2	1.5	..	..	..	..	..	1	..	3	2.3	..	..
Sardipur . . . . .	51	23	23.5	..	..	..	..	..	3	..	5	5.1	..	..
Sehrampur . . . . .	86	53	32.1	..	..	..	..	7	4	..	21	12.7	8	..
Siliguri . . . . .	46	1	1.1	..	..	..	1	..	..	..	1	1.1	..	..
South Dum Dum . . . . .	87	2	1.2	..	..	..	..	..	1	..	2	1.2	..	..
South Suburban . . . . .	129	46	18.6	..	..	..	1	3	3	..	16	6.5	5	..
Titagarh . . . . .	79	14	9.2	..	3	..	14	..	3	..	20	13.2	3	..
Purulia . . . . .	49	8	8.5	..	..	..	1	..	..	..	3	3.2	..	..
Budge Budge . . . . .	32	17	27.7	..	1	..	..	2	..	..	5	8.1	1	..
Kharagpur . . . . .	77	11	7.4	..	..	..	..	..	..	..	..	..	..	..
TOTAL . . . . .	5,621	2,584	23.9	2	43	..	72	72	221	3	964	8.9	218	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th January, 1958—concl'd.

Deaths from :—

Town	Mid-year* Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
West Bengal														
For w/e 21-12-57														
Asansol . . .	89	4	2.3	...	...	...	...	...	...	...	3	1.8	...	
Baidyabati . . .	34	12	18.4	...	...	...	...	...	1	...	4	6.1	...	
Bally . . .	67	8	6.2	...	...	...	1	1	1	...	5	3.9	2	
Bankura . . .	50	15	15.6	...	...	...	...	...	1	...	2	2.1	...	
Bansberia† . . .	40	8	10.4	...	...	...	...	1	...	...	2	2.6	...	
Basirhat . . .	93	48	26.8	...	...	...	2	2	7	1	17	9.5	6	
Baranagar . . .	65	52	41.6	...	2	...	3	...	...	...	15	12.0	4	
Behrampur . . .	35	8	11.9	...	...	...	...	...	...	...	3	4.5	...	
Bhadreswar . . .	145	25	9.0	...	1	...	14	...	3	...	21	17.2	...	
Bhatpara . . .	84	22	13.6	...	...	...	...	1	5	...	48	7.4	...	
Burdwan . . .	3,060	1,619	27.5	...	5	...	16	40	172	2	603	10.2	145	
Calcutta . . .	41	23	29.2	...	1	...	...	...	...	...	5	6.3	...	
Champadani . . .	45	17	19.6	...	...	...	...	...	...	...	...	...	...	
Cooch-Bihar . . .	39	9	12.0	...	...	...	2	...	1	...	7	9.3	...	
Darjeeling . . .	37	18	25.3	...	...	...	...	...	...	...	3	4.2	...	
English Bazar . . .	127	15	6.1	...	...	...	...	2	2	...	10	4.1	4	
Garden Reach . . .	42	3	3.7	...	...	...	...	...	...	...	2	2.5	...	
Halisahar . . .	61	93	79.3	...	...	...	1	...	2	...	14	11.9	4	
Hoogly-Chinsura . . .	487	181	19.3	1	32	...	5	12	38	...	158	16.9	57	
Howrah . . .	78	19	12.7	...	1	...	...	...	...	...	1	0.7	...	
Jalpaiguri† . . .	58	...	...	...	...	...	...	...	...	...	...	...	...	
Kamarhati† . . .	45	56	64.7	...	...	...	4	...	...	...	11	12.7	...	
Kanchrapara . . .	73	37	26.4	...	...	...	8	...	1	...	13	9.3	3	
Krishnagar . . .	64	7	5.7	...	...	...	4	...	1	...	9	7.3	1	
Midnapur . . .	37	7	9.8	...	...	...	...	1	...	...	3	4.2	...	
Nabadwip . . .	68	2	1.5	...	...	...	...	...	...	...	...	...	...	
Naihati . . .	51	16	16.3	...	...	...	1	...	...	...	3	3.1	...	
North Barrackpore . . .	86	41	24.8	...	...	...	2	...	2	1	22	13.3	6	
Panihati . . .	46	...	...	...	2	...	...	...	...	...	2	2.3	...	
Santipur . . .	87	3	1.8	...	...	...	...	...	...	...	1	0.6	...	
Serampur . . .	129	40	16.1	...	...	...	...	1	2	...	11	4.4	4	
Siliguri . . .	79	23	15.1	...	2	...	20	...	1	...	24	15.8	7	
South Dum Dum . . .	49	8	8.5	...	...	...	1	...	1	...	4	4.3	...	
South Suburban . . .	32	18	29.3	...	...	...	...	2	1	...	6	9.8	2	
Titagarh . . .	57	36	32.8	...	...	...	...	...	2	...	5	4.6	2	
Purulia . . .	77	6	4.1	...	...	...	...	...	...	...	...	...	...	
Budge-Budge . . .	...	...	...	...	...	...	...	...	...	...	...	...	...	
Chandernagore . . .	...	...	...	...	...	...	...	...	...	...	...	...	...	
Kharagpur . . .	...	...	...	...	...	...	...	...	...	...	...	...	...	
TOTAL . . .	5,757	2,499	22.6	1	46	...	84	63	244	4	1,028	9.3	245	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths) ; . . . = Nil information.

## REMARKS

The figures of births and deaths shown were 9,397 and 4,492 registering birth and death in this statement for week ending the 18th rates of 26·5 and 12·7 per thousand of population January, 1958, relate to 131 towns from the States of respectively.

Bihar, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population No town recorded a high death rate of 50 or coverage of 18,409 thousands, out of the total over. The following table gives the registered rates population of 46,893 in 319 towns in the country. The for different States :— number of births and deaths recorded in these towns

States	Current w/e 18-1-58		Corresponding w/last year	
	B.R.	D.R.	B.R.	D.R.
Bihar . . . .	15·4	6·3	17·1	6·9
Madras . . . .	28·2	16·9	37·2	19·2
Mysore . . . .	20·1	9·3	28·3	13·7
Orissa . . . .	46·3	23·8	35·2	21·9
Pondicherry . . . .	49·7	17·6	65·0	29·1
Punjab . . . .	35·2	7·8	34·6	9·4
Rajasthan . . . .	13·1	8·4	11·8	9·5
Uttar Pradesh . . . .	30·5	13·9	28·6	13·0
India . . . .	26·5	12·7	29·8	13·7

NEW DELHI-2 (INDIA),  
The 10th February, 1958. }

H. R. SHARMA,  
for Registrar General, India